

Delphi Den Botanica
10030 Orchard Way Spring Hill, FL 34608
N/A
Project 05/19/2023

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: Early Abacus
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: Early Abacus

Lab Sample ID: F305091-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Inhalable Flower
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 3

Date Sampled: 05/19/2023
Date Received: 05/19/2023
Date Reported: 05/22/2023



Terpenes
Not Tested



Heavy Metals
Not Tested



Foreign Materials
Not Tested



Microbiology
Not Tested



Mycotoxins
Not Tested



Residual Solvents
Not Tested



Pesticides
Not Tested



Moisture Content
Not Tested



Water Activity
Not Tested



0.138%
Total THC

3.15%
Total CBD

Potency as Received

Cannabinoids

Date Prepared: 05/19/23 10:40 Prep ID: NS Specimen Prep: 0.2714 g / 10 mL
Date Analyzed: 05/19/23 22:23 Analyst ID: MM Instrument: HPLC
Lab Batch: B23E033 Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results	
			%	mg/g
CBC	1	0.0147	ND	ND
CBCA	1	0.0147	0.150	1.50
CBD	1	0.0147	0.142	1.42
CBDA	50	0.737	3.43	34.3
CBDV	1	0.0147	ND	ND
CBDVA	1	0.0147	0.0498	0.498
CBG	1	0.0147	ND	ND
CBGA	1	0.0147	0.155	1.55
CBN	1	0.0147	ND	ND
THCV	1	0.0147	ND	ND
THCVA	1	0.0147	ND	ND
THCA	1	0.0147	0.138	1.38
delta-9 THC	1	0.0147	0.0175	0.175
delta-8 THC	1	0.0147	ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150



Dr. Harry Bezhadi, PhD.
President, CEO

